

# Dermatitis artefacta

**Dermatitis artefacta** is a conscious or unconscious self-damage to the skin. It can be an expression of the patient's effort to achieve a certain benefit (incapacity for work, compensation). It most often affects young women.

## Etiology and Pathogenesis

It arises on a psychopathic or psychiatric basis. Most often, it is the patient's attempt to escape from a difficult situation and to attract attention by self-damaging the skin. Damage can occur with the help of nails, various objects, cigarettes, chemicals or heat, application of foreign objects to the skin.

## Clinical picture

The finding is usually atypical to bizarre, with an unusual location, configuration and range of manifestations.

Linear **excoriations** from the nails are where the patient reaches, omitting localization between the scapulae. Cigarette **burns** are circular in shape and leave pigmentation and scarring. Application of **foreign substances** to the subcutaneous tissue may cause panniculitis.

Dermatitis artefacta can be part of **Munchausen's syndrome**, where patients report very complex difficulties, on the basis of which they often overcome risky examinations and procedures. Patients are dissatisfied with care and often change healthcare facilities.

## Diagnosis

The course, anamnesis and appearance do not correspond to known dermatoses. The diagnosis is aided by treatment ineffectiveness, histological findings (eg evidence of foreign material) as well as patient behavior.

## Differential diagnosis

Includes vasculitis, pityriasis lichenoides, scabies, dermatitis herpetiformis Duhring, granulomatous diseases, lymphocytoma, panniculitis.

## Therapy

It is important to gain the patient's trust and cooperation, to obtain his consent for a consular psychological or psychiatric examination.

## Links

## References

- 

Kategorie:Vnitřní lékařství Kategorie:Dermatovenerologie Kategorie:Psychiatrie