

# MediaWiki:Templates.js

**Note:** After publishing, you may have to bypass your browser's cache to see the changes.

- **Firefox / Safari:** Hold *Shift* while clicking *Reload*, or press either *Ctrl-F5* or *Ctrl-R* (*⌘-R* on a Mac)
- **Google Chrome:** Press *Ctrl-Shift-R* (*⌘-Shift-R* on a Mac)
- **Internet Explorer / Edge:** Hold *Ctrl* while clicking *Refresh*, or press *Ctrl-F5*
- **Opera:** Press *Ctrl-F5*.

```
1  /* <pre> */
2
3  /* ===== ONMOUSEOVER TEMPLATES =====
4     author:      [[User:Stepi]]
5     date:        05/2009
6     =====
7  */
8
9  // FUNCTION CHNAGING VISIBILITY OF THE TEMPLATE
10 // after mouse over <DIV CLASS="hidden_message_visible">
11 // is displayed normally hidden element <DIV CLASS="hidden_message_hidden">
12 function doHover() {
13     var hiddenMessage = getElementsByClass('hidden_message');
14     var hiddenMessageVis = getElementsByClass('hidden_message_visible');
15     var hiddenMessageHid = getElementsByClass('hidden_message_hidden');
16
17     // no hidden template -> exit
18     if (hiddenMessage.length == 0) return;
19
20     // every element must have its own id
21     for (i=0; i<hiddenMessage.length; i++) {
22         hiddenMessage[i].id = "sch" + i;
23         hiddenMessageVis[i].id = "schVis" + i;
24         hiddenMessageHid[i].id = "schHid" + i;
25
26         viselem = "schVis" + i;
27         hidelem = "schHid" + i;
28
29         // show and hide element
30         document.getElementById(hidelem).style.left = "-450px";
31         eval("document.getElementById('" + viselem + "') .onmouseover = function(){document.getElementById('" + hidelem +
32         "'.style.visibility = 'visible'}}");
33         eval("document.getElementById('" + viselem + "') .onmouseout = function(){document.getElementById('" + hidelem +
34         "'.style.visibility = 'hidden'}}");
35     } // end for
36 } // end function
37
38 // start on page load
39 addOnLoadHook(doHover);
40
41 /* </pre> */
```