

The most common occupational diseases in the Czech Republic

Previously, miners suffered the most from occupational diseases, later they were overtaken by the "health care industry", today metal-production workers are in first place (the incidence of scabies has decreased in the health care industry).

The most common are diseases caused by physical factors (carpal tunnel syndrome), then skin, lung, and infectious diseases. **The health sector** is dominated by scabies, hepatitis and tuberculosis. In **agriculture** anthroozoonoses (trichophyceus, erysipeloid, Lyme borreliosis).

The numbers of **occupational diseases** caused by chemicals are decreasing thanks to compliance with the **permissible exposure limits** (PEL) and the **NPK-P**, acute poisonings are now a matter of emergency situations.

The most frequently reported occupational diseases in the Czech Republic (2009)

1. Carpal tunnel syndrome
2. Scabies
3. Allergic contact dermatitis caused by other chemical products
4. Angler pneumoconiosis
5. Raynaud's disease^[1]

Links

Related articles

- Infectious diseases as occupational diseases

Source

- BENEŠ, Jiří. *Studijní materiály* [online]. [cit. 24.02.2010]. <<http://jirben.wz.cz>>.

References

1. Klinika pracovního lékařství LF Masarykovy univerzity a Fakultní nemocnice u sv. Anny v Brně. *Nemoci z povolání a ohrožení nemocí z povolání uznané středisky nemocí z povolání v České republice v roce 2009* [online]. ©2010. [cit. 2010-12-25]. <<http://www.nemocizpovolani.cz/NZP09.pdf>>.

Used literature

- PELCLOVÁ, Daniela. *Nemoci z povolání a intoxikace*. 2. edition. Praha : Karolinum, 2006. 207 pp. ISBN 80-246-1183-X.